

MSDS **Material Safety Data Sheet**

Plastatech Engineering Ltd.

PVC Film

Page 1 of 4

MSDS Number: 10120

Revision Date: 9/14/06

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Plastatech Engineering Ltd.
725 East Morley Drive

Saginaw, MI 48601

Contact: Crint LaBrosse
Telephone Number: (989) 754-6500
FAX Number: (989) 754-1626
E-Mail: safety@plastatech.com
Web: Plastatech.com

Product Name: PVC Film
Revision Date: 9/14/06
MSDS Number: 10120
Common Name: PVC Film
CAS Number: Not Applicable
EPA Number: Not Applicable
RCRA Number: Not Applicable
Chemical Family: Mixture
Chemical Formula: NA
Synonyms: PVC Film, PVC Sheet
Internal ID: 10120

Product code list.
10120

2 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Chemical Name
58366	Phenoxarsine, 10,10'-oxydi-
NA	1,2-Benzenedicarboxylic acid, dialkylester, branched & linear.
9002862	Ethene, chloro-, homopolymer
1309644	Antimony oxide (Sb2O3)

3 HAZARDS IDENTIFICATION

Route of Entry: Routes of entry during normal installation procedures may include, inhalation, skin contact and eye contact.

Target Organs: The physical and chemical properties of the material suggests that there is no evidence that this product aggravates an existing medical condition.

Inhalation: If product is used at high temperatures, hydrogen chloride gas may be formed. Use product in well ventilated areas.

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Ingestion: Unlikely.

MSDS *Material Safety Data Sheet*

Plastatech Engineering Ltd.

PVC Film

Page 2 of 4

MSDS Number: 10120

Revision Date: 9/14/06

4 FIRST AID MEASURES

Inhalation: Move to fresh air. Aid in breathing, if necessary, and get immediate medical attention.
Skin Contact: Wash affected skin area with soap and water. If irritation develops, get medical attention.
Eye Contact: Immediately flush eyes with water for at least 15 minutes. If irritation develops, consult a physician.
Ingestion: Unlikely

5 FIRE FIGHTING MEASURES

Flash Point: Not Available
LEL: Not Available
UEL: Not Available
Flammability Classification: 0

In the event of a fire, wear NIOSH approved, positive pressure, self-contained breathing apparatus (SCBA) and full protective clothing. Use dry chemical, foam, water or carbon dioxide to extinguish fire.

Decomposition gases include carbon monoxide, carbon dioxide, and hydrogen chloride gas.

6 ACCIDENTAL RELEASE MEASURES

Not Applicable

7 HANDLING AND STORAGE

Handling Precautions: Not Applicable
Storage Requirements: Not Applicable

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Use product in well ventilated area.
Protective Equipment: Safety Glasses, gloves
Exposure Guidelines/Other: Not Applicable

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Vinyl Sheet	Boiling Point:	Greater than 350F
Physical State:	Solid	Freezing/Melting Pt.:	N/A
Odor:	Slight Vinyl odor	Solubility:	Insoluble
pH:	N/A	Spec Grav./Density:	1.2 - 1.4
Vapor Pressure:	N/A		
Vapor Density:	N/A		

MSDS *Material Safety Data Sheet*

Plastatech Engineering Ltd.

PVC Film

Page 3 of 4

MSDS Number: 10120

Revision Date: 9/14/06

10 STABILITY AND REACTIVITY

Stability: Stable.

Conditions to avoid: Not applicable.

Materials to avoid (incompatibility): Strong oxidizing agents.

Hazardous Decomposition products: Hydrogen chloride gas, carbon monoxide, carbon dioxide.

Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

No data is available on this product.

12 ECOLOGICAL INFORMATION

No data is available on this product.

13 DISPOSAL CONSIDERATIONS

Dispose in accordance with local, state, and federal regulations.

14 TRANSPORT INFORMATION

DOT Proper Shipping Name:
Not applicable

DOT Technical Name:
Not applicable

DOT Hazard Class:
Not regulated

DOT Hazard Labels:
Not regulated

DOT Placard(s):
Not applicable

Emergency Response Guide (ERG):
Not applicable.

MSDS *Material Safety Data Sheet* Plastatech Engineering Ltd.

PVC Film

Page 4 of 4

MSDS Number: 10120

Revision Date: 9/14/06

15

REGULATORY INFORMATION

The hazardous components identified in Section 2 are bound within the PVC matrix of this product and are not expected to be released under normal conditions. These products are considered to be finished articles as per (29CFR1910.1200(c)) and therefore exempt from the requirements of this standard.

*Phenoxarsine, 10,10'-oxydi- (58366 <2%) EHS302, MASS, NJHS, PA

California Proposition 65 - This product contains (Antimony Trioxide) a chemical known by the State of California to cause cancer.

REGULATORY KEY DESCRIPTIONS

EHS302 = Extremely Hazardous Substance
MASS = MA Massachusetts Hazardous Substances List
NJHS = NJ Right-to-Know Hazardous Substances
PA = PA Right-To-Know List of Hazardous Substances

16

OTHER INFORMATION

The information and recommendations contained in this Material Safety Data Sheet have been compiled from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the MSDS was prepared. No Warranty, guaranty or representation is made as to the correctness or sufficiency of the information. The user of this product must decide what safety measures are necessary to safely use this product, either alone or in combination with other products, and determine its environmental regulatory compliance under any federal or state laws.

END OF MSDS DOCUMENT